Author Index

Abdel-Baky, S. and Giese, R. W.
Capillary electrophoresis washing technique 608(1992)159
Adjalla, C., see Lambert, D. 608(1992)311
Alloni, A., see Gelfi, C. 608(1992)333
Alloni, A., see Gelfi, C. 608(1992)343
Andrews, D., see Cheng, Y.-F. 608(1992)109
Arai, A., see Guttman, A. 608(1992)175
Bammel, B. P., see O'Shea, T. J. 608(1992)189
Bao, J. and Regnier, F. E.
Ultramicro enzyme assays in a capillary electrophoretic system 608(1992)217
Bay, S., see Harke, H. R. 608(1992)143
Benhayoun, S., see Lambert, D. 608(1992)311
Bjergegaard, C., Michaelsen, S. and Sørensen, H.
Determination of phenolic carboxylic acids by micellar electrokinetic capillary chromatography and evaluation of factors affecting the method 608(1992)403
Boček, P., see Gebauer, P. 608(1992)47
Brinkman, U. A. T., see Debets, A. J. J. 608(1992)151
Brown, P. R., see Weston, A. 608(1992)395
Bruin, G. J. M., Van Asten, A. C., Xu, X. and Poppe, H.
Theoretical and experimental aspects of indirect detection in capillary electrophoresis 608(1992)97
Buchberger, W. and Haddad, P. R.
Effects of carrier electrolyte composition on separation selectivity in capillary zone electrophoresis of low-molecular-mass anions 608(1992)59
Busch, S., see Kraak, J. C. 608(1992)257
Cai, J. and El Rassi, Z.
Micellar electrokinetic capillary chromatography of neutral solutes with micelles of adjustable surface charge density 608(1992)31
Carson, W., see Cheng, Y.-F. 608(1992)109
Chang, H.-T. and Yeung, E. S.
Optimization of selectivity in capillary zone electrophoresis via dynamic pH gradient and dynamic flow gradient 608(1992)65
Chen, D.-Y., see Zhao, J.-Y. 608(1992)117
Cheng, Y.-F., Fuchs, M., Andrews, D. and Carson, W.
Membrane fraction collection for capillary electrophoresis 608(1992)109
Cooper, C. L., see Ma, Y. 608(1992)93
Cruzado, I. D. and Vigh, G.
Chiral separations by capillary electrophoresis using cyclodextrin-containing gels 608(1992)421
Damm, J. B. L., Overklift, G. T., Vermeulen, B. W. M., Fluitsma, C. F. and Van Dedem, G. W. K.
Separation of natural and synthetic heparin fragments by high-performance capillary electrophoresis 608(1992)297
Danzer, M. H., see Weiss, C. S. 608(1992)325
Datta, M. H., see Weiss, C. S. 608(1992)325
De Besi, P., see Gelfi, C. 608(1992)333
De Besi, P., see Gelfi, C. 608(1992)343
Debets, A. J. J., Mazereeuw, M., Voogt, W. H., Van Iperen, D. J., Lingeman, H., Hupe, K.-P. and Brinkman, U. A. T.
Switching valve with internal micro precolumn for on-line sample enrichment in capillary zone electrophoresis 608(1992)151
Denoroy, L., see Soucheleau, J. 608(1992)181
Desbène, P. L., Rony, C., Desmazières, B. and Jacquier, J. C.
Analysis of alkylaromatic sulphonates by high-performance capillary electrophoresis 608(1992)375
Desmazières, B., see Desbène, P. L. 608(1992)375
D'Hulst, A. and Verbeke, N.
Chiral separation by capillary electrophoresis with oligosaccharides 608(1992)275
Dirschlmayer, A., see Lindner, H. 608(1992)211
Dovichi, N. J., see Harke, H. R. 608(1992)143
Dovichi, N. J., see Zhao, J.-Y. 608(1992)117
Dovichi, N. J., see Zhao, J. Y. 608(1992)239
Elo, H., see Lukkari, P. 608(1992)317
El Rassi, Z., see Cai, J. 608(1992)31
Felden, F., see Lambert, D. 608(1992)311
Fluitsma, C. F., see Damm, J. B. L. 608(1992)297
Foret, F., Szoko, E. and Karger, B. L.
On-column transient and coupled column isotachophoretic preconcentration of protein samples in capillary zone electrophoresis 608(1992)3
Friedl, W., see Kenndler, E. 608(1992)161
Fuchs, M., see Cheng, Y.-F. 608(1992)109
Gaboriaud, R., see Tribet, C. 608(1992)131
Gareil, P., see Tribet, C. 608(1992)131
Gebauer, P., Thormann, W. and Boček, P.
Sample self-stacking in zone electrophoresis. Theoretical description of the zone electrophoretic separation of minor compounds in the presence of bulk amounts of a sample component with high mobility and like charge 608(1992)47
Gelfi, C., Alloni, A., De Besi, P. and Righetti, P. G.
Investigation of the properties of acrylamide bifunctional monomers (cross-linkers) by capillary zone electrophoresis 608(1992)343
Gelfi, C., De Besi, P., Alloni, A. and Righetti, P. G.
Investigation of the properties of novel acrylamido monomers by capillary zone electrophoresis 608(1992)333
Giese, R. W., see Abdel-Baky, S. 608(1992)159
Giese, R.W., see Li, W. 608(1992)171
Giese, R. W., see Yeung, E. S. 608(1992)73
Grossman, P. D., Hino, T. and Soane, D. S.
Dynamic light-scattering studies of hydroxyethyl cellulose solutions used as sieving media for electrophoretic separations 608(1992)79
Guéant, J. L., see Lambert, D. 608(1992)311
Guttman, A., Arai, A. and Magyar, K.
Influence of pH on the migration properties of oligonucleotides in capillary gel electrophoresis 608(1992)175

Guzman, N. A., Moschera, J., Iqbal, K. and Malick, A. W.
Effect of buffer constituents on the determination of therapeutic proteins by capillary electrophoresis 608(1992)197
Haddad, P. R., see Buchberger, W. 608(1992)59
Harke, H., see Zhao, J. Y. 608(1992)239
Harke, H. R., Bay, S., Zhang, J. Z., Rocheleau, M. J. and Dovichi, N. J.
Effect of total percent polyacrylamide in capillary gel electrophoresis for DNA sequencing of short fragments. A phenomenological model 608(1992)143
Harrold, M. P., see Henshall, A. 608(1992)413
Hazlett, J. S., see Weiss, C. S. 608(1992)325
Heckenberg, A. L., see Weston, A. 608(1992)395
Helliger, W., see Lindner, H. 608(1992)211
Henshall, A., Harrold, M. P. and Tso, J. M. Y.
Separation of inositol phosphates by capillary electrophoresis 608(1992)413
Heo, G. S., see Lee, K.-J. 608(1992)243
Hino, T., see Grossman, P. D. 608(1992)79
Holma, T., see Lukkari, P. 608(1992)317
Honda, S., Ueno, T. and Kakehi, K.
High-performance capillary electrophoresis of unsaturated oligosaccharides derived from glycosaminoglycans by digestion with chondroitinase ABC as 1-phenyl-3-methyl-5-pyrazolone derivatives 608(1992)289
Hupe, K.-P., see Debets, A. J. J. 608(1992)151
Iqbal, K., see Guzman, N. A. 608(1992)197
Ishihama, Y., see Terabe, S. 608(1992)23
Jacquier, J. C., see Desbène, P. L. 608(1992)375
Jandik, P., see Jones, W. R. 608(1992)385
Jandik, P., see Weston, A. 608(1992)395
Jaquemar, M., see Lindner, H. 608(1992)211
Jinno, K., see Lukkari, P. 608(1992)317
Jones, W. R. and Jandik, P.
Various approaches to analysis of difficult sample matrices of anions using capillary ion electrophoresis 608(1992)385
Jones, W. R., see Weston, A. 608(1992)395
Jumppanen, J., see Lukkari, P. 608(1992)317
Kakehi, K., see Honda, S. 608(1992)289
Karger, B. L., see Foret, F. 608(1992)3
Kašička, V., Prusík, Z. and Pospíšek, J.
Conversion of capillary zone electrophoresis to free-flow zone electrophoresis using a simple model of their correlation. Application to synthetic enkephalin-type peptide analysis and preparation 608(1992)13
Kenndler, E. and Friedl, W.
Adjustment of resolution and analysis time in capillary zone electrophoresis by varying the pH of the buffer 608(1992)161
Kim, N. J., see Lee, K.-J. 608(1992)243
Kraak, J. C., Busch, S. and Poppe, H.
Study of protein–drug binding using capillary zone electrophoresis 608(1992)257
Lambert, D., Adjalla, C., Felden, F., Benhayoun, S., Nicolas, J. P. and Guéant, J. L.
Identification of vitamin B_{12} and analogues by high-performance capillary electrophoresis and comparison with high-performance liquid chromatography 608(1992)311
Lee, K.-J., Heo, G. S., Kim, N. J. and Moon, D. C.
Analysis of antiepileptic drugs in human plasma using micellar electrokinetic capillary chromatography 608(1992)243
Li, W., Moussa, A. and Giese, R. W.
Capillary electrophoresis of fluorescein–ethylenediamine–5′-deoxynucleotides 608(1992)171
Li, W., see Yeung, E. S. 608(1992)73
Lindner, H., Helliger, W., Dirschlmayer, A., Talasz, H., Wurm, M., Sarg, B., Jaquemar, M. and Puschendorf, B.
Separation of phosphorylated histone H1 variants by high-performance capillary electrophoresis 608(1992)211
Lingeman, H., see Debets, A. J. J. 608(1992)151
Lukkari, P., Jumppanen, J., Holma, T., Sirén, H., Jinno, K., Elo, H. and Riekkola, M.-L.
Effect of the buffer solution on the elution order and separation of bis(amidinohydrazones) by micellar electrokinetic capillary chromatography 608(1992)317
Lunte, C. E., see O'Shea, T. J. 608(1992)189
Lunte, S. M., see O'Shea, T. J. 608(1992)189
Ma, Y., Zhang, R. and Cooper, C. L.
Indirect photometric detection of polyamines in biological samples separated by high-performance capillary electrophoresis 608(1992)93
Magyar, K., see Guttman, A. 608(1992)175
Malick, A. W., see Guzman, N. A. 608(1992)197
Matsubara, N., see Terabe, S. 608(1992)23
Mazereeuw, M., see Debets, A. J. J. 608(1992)151
Michaelsen, S., see Bjergegaard, C. 608(1992)403
Michaelsen, S., Møller, P. and Sørensen, H.
Factors influencing the separation and quantitation of intact glucosinolates and desulphoglucosinolates by micellar electrokinetic capillary chromatography 608(1992)363
Miller, J., see Zhao, J. Y. 608(1992)239
Mingorance, M. D., see Tienstra, P. A. 608(1992)357
Møller, P., see Michaelsen, S. 608(1992)363
Moon, D. C., see Lee, K.-J. 608(1992)243
Moschera, J., see Guzman, N. A. 608(1992)197
Moussa, A., see Li, W. 608(1992)171
Nicolas, J. P., see Lambert, D. 608(1992)311
Nielen, M. W. F.
Indirect time-resolved luminescence detection in capillary zone electrophoresis 608(1992)85
Novotny, M. V., see Soini, H. 608(1992)265
Okada, Y., see Terabe, S. 608(1992)23
Olieman, C., see Tienstra, P. A. 608(1992)357
O'Shea, T. J., Weber, P. L., Bammel, B. P., Lunte, C. E., Lunte, S. M. and Smyth, M. R.
Monitoring excitatory amino acid release *in vivo* by microdialysis with capillary electrophoresis–electrochemistry 608(1992)189
Overklift, G. T., see Damm, J. B. L. 608(1992)297

Pawliszyn, J., see Wu, J. 608(1992)121
Petersen, J., see Vinther, A. 608(1992)205
Poppe, H., see Bruin, G. J. M. 608(1992)97
Poppe, H., see Kraak, J. C. 608(1992)257
Pospíšek, J., see Kašička, V. 608(1992)13
Prusík, Z., see Kašička, V. 608(1992)13
Puschendorf, B., see Lindner, H. 608(1992)211
Regnier, F. E., see Bao, J. 608(1992)217
Regnier, F. E., see Wu, D. 608(1992)349
Riekkola, M.-L., see Lukkari, P. 608(1992)317
Riekkola, M.-L., see Soini, H. 608(1992)265
Righetti, P. G., see Gelfi, C. 608(1992)333
Righetti, P. G., see Gelfi, C. 608(1992)343
Rocheleau, M. J., see Harke, H. R. 608(1992)143
Rodriguez, R., see Zhu, M. 608(1992)225
Rony, C., see Desbène, P. L. 608(1992)375
Sarg, B., see Lindner, H. 608(1992)211
Siebert, C., see Zhu, M. 608(1992)225
Sirén, H., see Lukkari, P. 608(1992)317
Smyth, M. R., see O'Shea, T. J. 608(1992)189
Soane, D. S., see Grossman, P. D. 608(1992)79
Søeberg, H., see Vinther, A. 608(1992)205
Soini, H., Riekkola, M.-L. and Novotny, M. V.
Chiral separations of basic drugs and quantitation of bupivacaine enantiomers in serum by capillary electrophoresis with modified cyclodextrin buffers 608(1992)265
Sørensen, H., see Bjergegaard, C. 608(1992)403
Sørensen, H., see Michaelsen, S. 608(1992)363
Soucheleau, J. and Denoroy, L.
Determination of vasoactive intestinal peptide in rat brain by high-performance capillary electrophoresis 608(1992)181
Szoko, E., see Foret, F. 608(1992)3
Talasz, H., see Lindner, H. 608(1992)211
Terabe, S., Matsubara, N., Ishihama, Y. and Okada, Y.
Microemulsion electrokinetic chromatography: comparison with micellar electrokinetic chromatography 608(1992)23
Thormann, W., see Gebauer, P. 608(1992)47
Thormann, W., see Wernly, P. 608(1992)251
Tienstra, P. A., Van Riel, J. A. M., Mingorance, M. D. and Olieman, C.
Assessment of the capabilities of capillary zone electrophoresis for the determination of hippuric and orotic acid in whey 608(1992)357
Tribet, C., Gaboriaud, R. and Gareil, P.
Analogy between micelles and polymers of ionic surfactants. A capillary isotachophoretic study of small ionic aggregates in water–organic solutions 608(1992)131
Tso, J. M. Y., see Henshall, A. 608(1992)413
Ueno, T., see Honda, S. 608(1992)289
Van Asten, A. C., see Bruin, G. J. M. 608(1992)97
Van Dedem, G. W. K., see Damm, J. B. L. 608(1992)297
Van Iperen, D. J., see Debets, A. J. J. 608(1992)151
Van Riel, J. A. M., see Tienstra, P. A. 608(1992)357
Verbeke, N., see D'Hulst, A. 608(1992)275
Verheggen, T. P. E. M.
Foreword 608(1992)1
Vermeulen, B.W.M., see Damm, J.B.L. 608(1992)297
Vigh, G., see Cruzado, I. D. 608(1992)421
Vinther, A., Petersen, J. and Søeberg, H.
Capillary electrophoretic determination of the protease Savinase in cultivation broth 608(1992)205
Voogt, W. H., see Debets, A. J. J. 608(1992)151
Waldron, K. C., see Zhao, J. Y. 608(1992)239
Wang, P., see Yeung, E. S. 608(1992)73
Weber, P. L., see O'Shea, T. J. 608(1992)189
Wehr, T., see Zhu, M. 608(1992)225
Weiss, C. S., Hazlett, J. S., Datta, M. H. and Danzer, M. H.
Determination of quaternary ammonium compounds by capillary electrophoresis using direct and indirect UV detection 608(1992)325
Wernly, P. and Thormann, W.
Confirmation testing of 11-nor-Δ^9-tetrahydrocannabinol-9-carboxylic acid in urine with micellar electrokinetic capillary chromatography 608(1992)251
Weston, A., Brown, P. R., Jandik, P., Heckenberg, A. L. and Jones, W. R.
Optimization of detection sensitivity in the analysis of inorganic cations by capillary ion electrophoresis using indirect photometric detection 608(1992)395
Wu, D. and Regnier, F. E.
Sodium dodecyl sulfate–capillary gel electrophoresis of proteins using non-cross-linked polyacrylamide 608(1992)349
Wu, J. and Pawliszyn, J.
Application of capillary isoelectric focusing with universal concentration gradient detector to the analysis of protein samples 608(1992)121
Wurm, M., see Lindner, H. 608(1992)211
Xu, X., see Bruin, G. J. M. 608(1992)97
Yeung, E. S., see Chang, H.-T. 608(1992)65
Yeung, E. S., Wang, P., Li, W. and Giese, R. W.
Laser fluorescence detector for capillary electrophoresis 608(1992)73
Zhang, J. Z., see Harke, H. R. 608(1992)143
Zhang, J. Z., see Zhao, J. Y. 608(1992)239
Zhang, R., see Ma, Y. 608(1992)93
Zhao, J.-Y., Chen, D.-Y. and Dovichi, N. J.
Low-cost laser-induced fluorescence detector for micellar capillary zone electrophoresis. Detection at the zeptomol level of tetramethylrhodamine thiocarbamyl amino acid derivatives 608(1992)117
Zhao, J. Y., Waldron, K. C., Miller, J., Zhang, J. Z., Harke, H. and Dovichi, N. J.
Attachment of a single fluorescent label to peptides for determination by capillary zone electrophoresis 608(1992)239
Zhu, M., Rodriguez, R., Wehr, T. and Siebert, C.
Capillary electrophoresis of hemoglobins and globin chains 608(1992)225